MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 170, Nos. 1–2 December 22nd 2000

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

Research papers

TCDD elevates erbB2 expression and signaling in T47D cells by reversing serum potentiation of estrogen receptor activity, independent of estrogen levels and enhanced ER down-regulation
W.G.R. Angus, M. Campaigne Larsen, C.R. Jefcoate (USA) 1

Agonist-specific Ca^{2+} signaling systems, composed of multiple intracellular Ca^{2+} stores, regulate gonadotropin secretion
J.D. Johnson, F. VanGoor, R.M. Jobin, C.J.H. Wong, J.I. Goldberg, J.P. Chang (Canada) 15

DES action in the thymus: inhibition of cell proliferation and genetic variation
K.A. Gould, J.D. Shull, J. Gorski (USA) 31

Serotonin-dependent collagenase transcription in myometrial cells requires extended AP-1 site
C.B. Wilcox, E. Weisberg, J.A. Dumin, B.D. Wilcox, J.J. Jeffrey (USA) 41

Localization and expression of low-density lipoprotein receptor, steroidogenic acute regulatory protein, cytochrome P450 side-chain cleavage and P450 17-α-hydroxylase/C17–20 lyase in developing swine follicles: in situ molecular hybridization and immunocytochemical studies
J.C. Garmey, H.D. Guthrie, W.M. Garrett, M.H. Stoler, J.D. Veldhuis (USA) 57

Bifunctional hCG analogs adopt different conformations in LH and FSH receptor complexes
Y. Wang, M.P. Bernard, W.R. Moyle (USA) 67

Cloning of the mouse Pax4 gene promoter and identification of a pancreatic beta cell specific enhancer
W. Xu, L.J. Murphy (Canada) 79

1α,25-Dihydroxy-3-epi-vitamin D_3 a physiological metabolite of 1α,25-dihydroxyvitamin D_3: Its production and metabolism in primary human keratinocytes
N. Astecker, G. Satyanarayana Reddy, G. Herzig, G. Vorisek, I. Schuster (Austria, USA) 91

Interleukin-6 decreases estrogen production and messenger ribonucleic acid expression encoding aromatase during in vitro cytodifferentiation of rat granulosa cell
K. Tamura, T. Kawaguchi, T. Hara, S. Takatoshi, A. Tohei, A. Miyajima, T. Seishi, H. Kogo (Japan) 103

Analysis of Gα protein recognition profiles of angiotensin II receptors using chimeric Gα proteins
H. Sasamura, M. Mifune, H. Nakaya, T. Amemiya, T. Hiraki, I. Nishimoto, T. Saruta (Japan) 103

Analysis of Gα protein recognition profiles of angiotensin II receptors using chimeric Gα proteins
H. Sasamura, M. Mifune, H. Nakaya, T. Amemiya, T. Hiraki, I. Nishimoto, T. Saruta (Japan) 113

Transforming growth factor β inhibits steroidogenic acute regulatory (StAR) protein expression in human ovarian thecal cells
G.R. Attia, C.A. Dooley, W.E. Rainey, B.R. Carr (USA) 123

Identification and characterization of two androgen response regions in the human neutral endopeptidase gene
R. Shen, M. Sumitomo, J. Dai, D.O. Hardy, D. Navarro, B. Usmani, C.N. Papandreou, L.B. Hersh, M.A. Shipp, L.P. Freedman, D.M. Nanus (USA) 131

(Contents continued on inside back cover)

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

0303-7207(20001225)170:1:2;1-5

08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 170, Nos. 1–2 December 22nd 2000

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

Research papers

TCDD elevates erbB2 expression and signaling in T47D cells by reversing serum potentiation of estrogen receptor activity, independent of estrogen levels and enhanced ER down-regulation
W.G.R. Angus, M. Campaigne Larsen, C.R. Jefcoate (USA) 1

Agonist-specific Ca^{2+} signaling systems, composed of multiple intracellular Ca^{2+} stores, regulate gonadotropin secretion
J.D. Johnson, F. VanGoor, R.M. Jobin, C.J.H. Wong, J.I. Goldberg, J.P. Chang (Canada) 15

DES action in the thymus: inhibition of cell proliferation and genetic variation
K.A. Gould, J.D. Shull, J. Gorski (USA) 31

Serotonin-dependent collagenase transcription in myometrial cells requires extended AP-1 site
C.B. Wilcox, E. Weisberg, J.A. Dumin, B.D. Wilcox, J.J. Jeffrey (USA) 41

Localization and expression of low-density lipoprotein receptor, steroidogenic acute regulatory protein, cytochrome P450 side-chain cleavage and P450 17-α-hydroxylase/C17–20 lyase in developing swine follicles: in situ molecular hybridization and immunocytochemical studies
J.C. Garmey, H.D. Guthrie, W.M. Garrett, M.H. Stoler, J.D. Veldhuis (USA) 57

Bifunctional hCG analogs adopt different conformations in LH and FSH receptor complexes
Y. Wang, M.P. Bernard, W.R. Moyle (USA) 67

Cloning of the mouse Pax4 gene promoter and identification of a pancreatic beta cell specific enhancer
W. Xu, L.J. Murphy (Canada) 79

1α,25-Dihydroxy-3-epi-vitamin D_3 a physiological metabolite of 1α,25-dihydroxyvitamin D_3: Its production and metabolism in primary human keratinocytes
N. Astecker, G. Satyanarayana Reddy, G. Herzig, G. Vorisek, I. Schuster (Austria, USA) 91

Interleukin-6 decreases estrogen production and messenger ribonucleic acid expression encoding aromatase during in vitro cytodifferentiation of rat granulosa cell
K. Tamura, T. Kawaguchi, T. Hara, S. Takatoshi, A. Tohei, A. Miyajima, T. Seishi, H. Kogo (Japan) 103

Analysis of Gα protein recognition profiles of angiotensin II receptors using chimeric Gα proteins
H. Sasamura, M. Mifune, H. Nakaya, T. Amemiya, T. Hiraki, I. Nishimoto, T. Saruta (Japan) 103

Analysis of Gα protein recognition profiles of angiotensin II receptors using chimeric Gα proteins
H. Sasamura, M. Mifune, H. Nakaya, T. Amemiya, T. Hiraki, I. Nishimoto, T. Saruta (Japan) 113

Transforming growth factor β inhibits steroidogenic acute regulatory (StAR) protein expression in human ovarian thecal cells
G.R. Attia, C.A. Dooley, W.E. Rainey, B.R. Carr (USA) 123

Identification and characterization of two androgen response regions in the human neutral endopeptidase gene
R. Shen, M. Sumitomo, J. Dai, D.O. Hardy, D. Navarro, B. Usmani, C.N. Papandreou, L.B. Hersh, M.A. Shipp, L.P. Freedman, D.M. Nanus (USA) 131

(Contents continued on inside back cover)

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

0303-7207(20001225)170:1:2;1-5

08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Publication information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 2000, volumes 159–170 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/mce). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; Tel. (+1)212-633-3730 [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; Fax (+1)212-633-3680; E-mail: usinfo-f@elsevier.com
Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; Tel. (+31)20-4853757; Fax (+31)20-4853432; E-mail: nlinfo-f@elsevier.nl
Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel. (+81)3-5561-5033; Fax (+81)3-5561-5047; E-mail: info@elsevier.co.jp
Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel. (+65)434-3727; Fax (+65)337-2230; E-mail: asiainfo@elsevier.com.sg
Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel. (+55)21-509-5340; Fax (+55)21-507-1991; E-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk
Authors in Japan please note: Upon request, Elsevier Science K.K. will provide authors with a list of people who can check and improve the English of their paper (*before submission*). Please contact our Tokyo office: Elsevier Science K.K., 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106, tel. (+81)-3-5561-5032, fax (+81)-3-5561-5045.

If you need information about the journal, you can find all details (including full "Notes to Authors") on the World Wide Web: access under http://www.elsevier.nl/locate/mce or http://www.elsevier.com/locate/mce

(*Contents continued from outside back cover)*
Gonadotropin-releasing hormone activates mitogen-activated protein kinase in human ovarian and placental cells
S. Keun Kang, C.-J. Tai, K. Wa Cheng, P.C.K. Leung (Canada) 143
Protein kinase C alpha, epsilon and AP-1 mediate prolactin regulation of mitochondrial aspartate amino-transferase expression in the rat lateral prostate
R.B. Franklin, J. Zou, J. Ma, L. C. Costello (USA) 153
Single-column purification and bio-characterization of recombinant human parathyroid hormone-related protein (1–139)
C. Wu, P.K. Seitz, M. Falzon (USA) 163
Regulation of proopiomelanocortin messenger ribonucleic acid levels in the ovine fetal anterior pituitary in vitro
D.A. Myers, T.R. Myers (USA) 175
Expression of multiple adenylyl cyclase isoforms in human and dog thyroid
V. Vanvooren, A. Allgeier, E. Cosson, J. Van Sande, N. Defer, M. Pirlot, J. Hanoune, J.-E. Dumont (Belgium, France) 185
Calcium waves in frog melanotrophs are generated by intracellular inactivation of TTX-sensitive membrane Na^+ channel
L. Galas, M. Garnier, M. Lamacz (France) 197
IGF-I promotes Schwann cell motility and survival via activation of Akt
H.-L. Cheng, M. Steinway, C.L. Delaney, T.F. Franke, E.L. Feldman (USA) 211

Errata 217

Calendar 243

Notes to Authors

Author checklist

Announcements